


APS

Veterinary scales

For weighing live animals
and parcels



More information in our QR code:
<https://www.baxtran.com/en/scales/veterinary-scales.html>



Flexo cable to distribute even distanced weighing elements



Platform indicator and power supply connection. Wall or overground support



LCD indicator in ABS with 100h internal battery duration without interruption

Veterinary scale



FEATURES:

- Small 4 load cells platform with indicator
- Ideal for weighing live animals and parcels.
- Aluminium load cells.
- Structure in painted steel sheet
- Lacquest steel pan.
- Adjustable feet in height (depending on version).
- ABS indicator, model IB10-S.
- IP54 protection.
- Waterproof keyboard with 5 function keys and ON/OFF keys.
- Backlight LCD display with six 25 mm height digits.
- Backlight of the display with 3 types: automatic, activated and deactivated.
- ABS support for column.
- Operating temperature range: -10°C +40°C.
- Power supply with adaptor AC/DC 240Vac 50Hz.
- Rechargeable internal battery 6V/1.3Ah.
- 100 hours approx. battery life with backlighting on.
- 150 hours approx. battery life without backlighting.
- Programmable gravity.
- Units: g/kg/lb
- RS232 output (PC and print formats).
- Unique range, multi-range or multi-interval.
- Auto switch off (programmable: from 1 to 99 minutes).

FUNCTIONS:

- Accumulation
- Totalization
- Piece counting
- Zero
- Hold 4 modes: deactivate, filter for animals, peak value, stable weight and stable weight with auto cancel in zero.
- Control of weight and pieces (limits function) with visual signal and alarm.
- Tare
- Checkweigher

APS
(305 x 315 mm)



With non-slip rubbers on the base, ideal for desktop use



With rounded corners

APS
(from 550 x 550)






With adjustable feet in height, ideal for on ground use



With right angle corners

Dimensions (mm)	a	b	c	Weight
305x315	305	315	60	4
550x550	550	550	45	15
950x500	950	500	45	19





APS SCALES

#Code	Capacity (kg)	Readout (g)	Pan dimensions (mm)	Packing dimensions (mm)	Packing weight (kg)
261351	15	5	305x315	375x515x115	5
261352	35	10	305x315	375x515x115	5
261353	60	20	305x315	375x515x115	5
261354	150	50	305x315	375x515x115	5
261355	300	100	305x315	375x515x115	5
261356	60	20	550x550	670x600x85	16
261357	150	50	550x550	670x600x85	16
261358	300	100	550x550	670x600x85	16
261359	150	50	950x500	1015x565x85	20
261360	300	100	950x500	1015x565x85	20

RELATED PRODUCTS



 **Baxtran**

AIS / AIS-W

Veterinary scales

Discover the stainless steel version.



More information in our QR code:
<https://www.baxtran.com/en/scales/veterinary-scales.html>

 **Baxtran**

info@baxtran.com | www.baxtran.com | www.giropes.com
is a brand of: GIROPÉS S.L. | Pol. Empordà Internacional | C/ Molló, 3 | 17469 VILAMALLA (Spain) | T. +34 972 527 212 | F. +34 972 527 211